



<b>BICO Drilling Tools, Inc. Build Rate Prediction: Ø6¾ Omega P100 XL</b>												
<b>Slick</b>					<b>Stabilized 1/8" Undergage</b>				<b>Stabilized 1/4" Undergage</b>			
<b>Hole Size</b>					<b>Hole Size</b>				<b>Hole Size</b>			
<b>ABH (°)</b>	<b>Ø7-7/8"</b>	<b>Ø8-1/2"</b>	<b>Ø8-3/4"</b>	<b>Ø9-7/8"</b>	<b>Ø7-7/8"</b>	<b>Ø8-1/2"</b>	<b>Ø8-3/4"</b>	<b>Ø9-7/8"</b>	<b>Ø7-7/8"</b>	<b>Ø8-1/2"</b>	<b>Ø8-3/4"</b>	<b>Ø9-7/8"</b>
<b>0.39</b>					2.1	2.6	2.7	3.6	1.3	1.7	1.9	2.7
<b>0.78</b>	3.7	2.4	1.9		4.3	4.8	5.0	5.8	3.5	4.0	4.1	5.0
<b>1.15</b>	6.5	5.2	4.6	2.3	6.5	6.9	7.1	7.9	5.6	6.1	6.3	7.1
<b>1.50</b>	9.1	7.8	7.2	4.9	8.5	8.9	9.1	9.9	7.6	8.1	8.3	9.1
<b>1.83</b>	11.5	10.2	9.7	7.3	10.4	10.8	11.0	11.8	9.5	10.0	10.2	11.0
<b>2.12</b>		12.4	11.8	9.5	12.0	12.5	12.7	13.5	11.2	11.6	11.8	12.6
<b>2.38</b>		14.3	13.8	11.4	13.5	14.0	14.2	15.0	12.7	13.1	13.3	14.1
<b>2.60</b>		15.9	15.4	13.1	14.8	15.2	15.4	16.2	13.9	14.4	14.6	15.4
<b>2.77</b>		17.2	16.7	14.3	15.8	16.2	16.4	17.2	14.9	15.4	15.6	16.4
<b>2.90</b>		18.1	17.6	15.3	16.5	17.0	17.1	18.0	15.7	16.1	16.3	17.1
<b>2.97</b>		18.7	18.1	15.8	16.9	17.4	17.5	18.4	16.1	16.5	16.7	17.5
<b>3.00</b>		18.9	18.4	16.0	17.1	17.5	17.7	18.5	16.2	16.7	16.9	17.7

Predicted Build Rate Figures are in °/100' and are based on theoretical calculations of a non-flexing motor.